



Innovation • Integrity • Profession

**Quality - Reliability & Trust**

# **Full Height Turnstile**

**Turn-Mex Secure, Platinum & Quadra**



- ✓ **Warranty & after Sale Service**
- ✓ **All in One Flexible & Smart Solution**
- ✓ **MEX Security & Safety Features**

 [www.amts.pk](http://www.amts.pk)

# Specifications

Appearance Size (mm)	1460*1250*2180mm
Weight	180 kg per peice
Passage Width	650mm
Arm Support	120 Degree Rotors With 3 Sections Or 90 Degree Rotors with 4 Sections
Passing Direction	Single Direction / Bi-Directional
MCBF	5 Million
Power Supply	AC 220V / 110V , 50/60 Hz
Operation Voltage	24V DC
Power Consumption	40W
Operation Temperature	-15 C - 60 C
Operation Humidity	0 - 95% (No Freeze)

## Product Function

1. Long-life performance, high operation dependability and fast response
2. The mechanism is equipped with an automatic regulated hydraulic buffer device. No noise and impact when running
3. Single directional or Bidirectional is selectable
4. Automatic reset function: turnstile arm will lock automatically within 5s (can be setting) if passenger delay to entry
5. Anti-tailing function: only one person passes at one time
6. When power is off, arms will open automatically, which is complying with fire safety requirements
7. LED indicator (red × means no entry; green → means entry)
8. Structure of trucking to contain cable tidy inside the case
9. Structure of ring cover on top and bottom to beautify it
10. Override key function: when power failure, support to control open and close by manual

# Product Size

